

# DEVELON DX10Z-7 1T TRACKED EXCAVATOR

## Details

**Price:** POA  
**Dealer Stock #:** DX10Z-1  
**New / Used:** Dealer New



## Seller Details

## Sales Representatives



Jacob

**Name:** DWL Machinery  
**Phone:** (02) 8311 1321  
**Dealer:** 8706626  
**License No:**  
**State:** NSW  
**Suburb:** Austral  
**Postcode:** 2179

## Description

FOLLOW US FOR ALL NEW LISTINGS: @dwlmachinery Ph: Andrew 0401 873 538 or 1300 DIAL DWL ENGINE Make KUBOTA Model D722 Number of cylinders 3 Rated power, gross 10.35 hp (7.6 kW) @ 2,050 rpm Max. torque, net 4.08 kgf.m @ 1,600 rpm Displacement 0.719 l Bore and stroke 67 mm 68 mm Air cleaner Double elements Front - 2-Pillar Canopy Boom length mm 1,450 Arm length mm 890 Bucket capacity (ISO) m<sup>3</sup> 0.02 Undercarriage / Shoe Rubber A Overall length mm 3,010 C Overall height Boom mm 1,095 D Overall height Canopy mm 2,220 E Housing width mm 730 H Counterweight clearance mm 395 I Dozer lift clearance mm 227 J Dozer digging depth mm 220 K Tumbler distance mm 1,025 M Track length mm 1,353.1 N Track height mm 328.2 O Shoe width mm - P Dozer blade height mm 200 R Overall width (Retracted/Extended) mm 730/1,100 Q Track gage (Retracted/Extended) mm 550/920 Distance to dozer end mm 890 Canopy width mm 730 Rear-end distance mm 550 Ground clearance mm 150 Rear swing radius mm 550 Boom mm 1,450 Operating weight kg 1,165 Bucket (SAE) m<sup>3</sup> 0.02 Arm mm 890 A Max. digging reach mm 3,400 B Max. digging reach (ground) mm 3,355 C Max. digging depth mm 2205 D Max. digging height mm 3050 F Min. swing radius mm 1,410 (1,110) G Max. bucket pin height mm 2645 H Max. vertical wall depth mm 1025 I Max. radius vertical mm 2935 MACHINE DIMENSIONS WORKING RANGE PERFORMANCE Travel speed (low high) 1.7/3.4 km/h Traction force, max. (drawbar pull) 12.75 Kn Max. gradeability 30 Bucket digging force 10.8 kN Arm digging force 6.3 kN PERFORMANCE Fuel tank 14.2 l Cooling system (radiator capacity) 2 l Hydraulic tank 10.8 l Engine oil 2.8 l Travel device 2 0.33 l HYDRAULICS Main pumps 2 10.4 l/min @ 2,300 rpm Pilot pump (gear design) 3.1 l/min @ 2,300 rpm Max. pressure auxiliary line 176 bar Swing (crossover relief) 69 bar MAXIMUM SYSTEM PRESSURE Boom/arm/bucket (normal mode) 210 kg/cm<sup>2</sup> Swing (crossover relief) 165 kg/cm<sup>2</sup> SWING MECHANISM Swing speed 8.7 rpm Swing torque 152.7 kgf.m

## Product Details

<b>Type</b>	Dealer New
<b>Make</b>	Develon
<b>Model</b>	DX10-Z
<b>Registration Date</b>	8 April 2026

## Further Details

<b>configuration</b>	Std Excav Boom
<b>Excav Config</b>	Std Excav Boom
<b>Item</b>	New
<b>Condition</b>	
<b>Total Eng Power</b>	10
<b>Excav Size</b>	1
<b>Engine Make</b>	Develon
<b>Transmission</b>	n/a
<b>External Colour</b>	Orange
<b>Warranty</b>	Enquire

