

# DEVELON DTL30 TRACKED SKID STEER LOADER

## Details

**Price:** POA  
**Dealer Stock #:** DTL30-1  
**New / Used:** Dealer New



## Seller Details

## Sales Representatives



Jacob

**Name:** DWL Machinery  
**Phone:** (02) 8311 1321  
**Dealer:** 8706626  
**License No:**  
**State:** NSW  
**Suburb:** Austral  
**Postcode:** 2179

## Description

FOLLOW US FOR ALL NEW LISTINGS: @dwlmachinery Ph: Andrew 0401 873 538 or 1300 DIAL DWL ENGINE Make DEVELON Model DTL30 Emissions certification Number of cylinders 4 Rated power, gross (hp per SAE J1995) 72.7 PS (53.5 kW) @ 2600 rpm Rated power, net (hp per SAE J1349) 72.7 PS (53.5 kW) @ 2600 rpm Max. torque, net (SAE J1995) 280 Nm @ 1,600 rpm Displacement 2,392 cc Bore and stroke 90 x 94 mm Starter 12 V x 3.3 kW Battery 12 V, 100 AH Asperation Alternator 12 V, 90 A Air cleaner Powercore Aftertreatment DOC (Diesel Oxidation Catalyst) DTL30 A Tumbler distance 64.1 (1630 mm) B Overall length of track 83.8 (2130 mm) C Length (without bucket) 123.1 (3127 mm) D Length (bucket on ground) 156.1 (3966 mm) E Max. reach (arms parallel to ground) 62.1 (1579 mm) F Bucket pin reach at max. lift 20.4 (519 mm) G Reach at max. lift and dump 47.2 (1200 mm) H Ground clearance 8.8 (226 mm) I Height to top of cab 83.3 (2116 mm) J Max. overall height 169.6 (4308 mm) K Bucket pin height at max. lift 128.9 (3275 mm) L Clearance at max. lift and dump 96.8 (2460 mm) M Cabin height above house 400 mm shoe 76.8 (1951 mm) 450 mm shoe 78.7 (2001 mm) N Track gauge 61 (1551 mm) O Bucket width (factory bucket) 80 (2032 mm) P Departure angle 34 Q Rollback angle 25 R Rack back angle at max. height 87 S Max. dump angle 41 T Turning radius from center, rear 68.8 (1750 mm) U Turning radius from center, coupler 61.1 (1553 mm) V Turning radius from center, bucket 98.5 (2504 mm) MACHINE DIMENSIONS DRIVE SYSTEM Travel speed [low high] 9.5 / 14 km/h (FULL OPT.) Max. traction force (drawbar pull) 45.5 / 30.0 kN REFILL CAPACITIES Fuel tank 10 kg (92L) DEF tank Cooling system (radiator capacity) 43 kg Engine oil 14.6L Hydraulic tank 30(26.5)L Hydraulic system HYDRAULICS Main pump (STD) 91 Liter/min @ 2600 rpm Main pump (high) (US30, US31) 132.6 Liter/min @ 2600 rpm Pressure (STD) 230 bar Pressure (high) (US30, US31) 280bar ENVIRONMENT Sound level (2000/14/EC) 99.5 dB(A) Cabin sound level (ISO 6396) 75 dB(A)

## Product Details

<b>Type</b>	Dealer New
<b>Make</b>	Develon
<b>Model</b>	DTL30
<b>Registration Date</b>	8 April 2026

## Further Details

<b>configuration</b>	
<b>Excav Config</b>	Std Excav Boom
<b>Skid Steer Config</b>	Tracked
<b>Item Condition</b>	New
<b>Total Eng Power</b>	75
<b>Engine Make</b>	Develon
<b>Transmission</b>	n/a
<b>External Colour</b>	Orange
<b>Warranty</b>	Enquire

