

# DEVELON DTL35 TRACKED SKID STEER LOADER

## Details

**Price:** POA  
**Dealer Stock #:** DTL35-1  
**New / Used:** Dealer New



## Seller Details

## Sales Representatives



Jacob

**Name:** DWL Machinery  
**Phone:** (02) 8311 1321  
**Dealer:** 8706626  
**License No:**  
**State:** NSW  
**Suburb:** Austral  
**Postcode:** 2179

## Description

FOLLOW US FOR ALL NEW LISTINGS: @dwlmachinery Ph: Andrew 0401 873 538 or 1300 DIAL DWL ENGINE Make DEVELON Model D34 Emissions certification EPA Tier 4 final Number of cylinders 4 Rated power, gross (hp per SAE J1995) 115.3 hp (86 kW) @ 2400 rpm Rated power, net (hp per SAE J1349) 102.6 hp (76.5 kW) @ 2400 rpm Max. torque, net (SAE J1995) 339.2 lbf.ft. (46.9 kfgm) @ 1400 rpm Displacement 208 in.3 (3.4 L) Bore and stroke 3.86 in. x 4.45 in. (98 mm x 113 mm) Starter 12 V, 4.5 hp (3.3 kW) Battery 12 V, 150 AH Asperation Turbocharged Alternator 12 V, 140 amp Air cleaner Powercore Aftertreatment DOC, SCR (no DPF) DTL35 A Tumbler distance 70.0 (1767 mm) B Overall length of track 89.3 (2267 mm) C Length (without bucket) 132.8 (3372 mm) D Length (bucket on ground) 165.7 (4210 mm) E Max. reach (arms parallel to ground) 62.3 (1582 mm) F Bucket pin reach at max. lift 20.1 (510 mm) G Reach at max. lift and dump 46.3 (1175 mm) H Ground clearance 9.7 (247 mm) I Height to top of cab 84.0 (2133 mm) J Max. overall height 169.4 (4304 mm) K Bucket pin height at max. lift 129.1 (3280 mm) L Clearance at max. lift and dump 96.7 (2457 mm) M Cabin height above house 400 mm shoe 76.8 (1951 mm) 450 mm shoe 78.8 (2001 mm) N Track gauge 61.1 (1551 mm) O Bucket width (factory bucket) 80 (2032 mm) P Departure angle 31.6 Q Rollback angle 25 R Rack back angle at max. height 25 S Max. dump angle 40.8 T Turning radius from center, rear 75.7 (1922 mm) U Turning radius from center, coupler 62.3 (1583 mm) V Turning radius from center, bucket 99.9 (2537 mm) MACHINE DIMENSIONS DRIVE SYSTEM Travel speed [low high] 6.1 9.2 mph (9.8 14.8 km/h) Max. traction force (drawbar pull) 10251.3 lbf. (45.6 kN) REFILL CAPACITIES Fuel tank 29.0 gal. (110 L) DEF tank 4.0 gal. (15 L) Cooling system (radiator capacity) 3.7 gal. (14 L) Engine oil 3.9 gal. (14.6 L) Hydraulic tank 10.6 gal. (40 L) Hydraulic system 19.2 gal. (72.7 L) HYDRAULICS Main pump (STD) 22.2 gpm (84 L/min.) @ 2400 rpm Main pump (high) (US30, US31) 39.9 gpm (151.2 L/min.) @ 2400 rpm Pressure (STD) 3335.9 psi (23000 kPa) Pressure (high) (US30, US31) 4061.1 psi (28000 kPa)

## Product Details

<b>Type</b>	Dealer New
<b>Make</b>	Develon
<b>Model</b>	DTL35
<b>Registration Date</b>	8 April 2026

## Further Details

<b>configuration</b>	
<b>Excav Config</b>	Std Excav Boom
<b>Skid Steer</b>	Tracked
<b>Config</b>	
<b>Item</b>	New
<b>Condition</b>	
<b>Total Eng Power</b>	115
<b>Engine Make</b>	Develon
<b>Transmission</b>	n/a
<b>External Colour</b>	Orange
<b>Warranty</b>	Enquire

